



DEXTRAN PRODUCTS

(A Division of POLYDEX PHARMACEUTICALS LIMITED)

421 - 423 Comstock Road
Scarborough, Ontario, Canada
M1L 2H5
Tel: 416-755-2231
Fax: 416-755-0334
www.dextran.ca

CERTIFICATE OF ANALYSIS

Product: Sodium Dextran Sulphate
Molecular Weight: 500,000
Lot No: DSM 178A
Manufactured Date: March 2024
Expiry Date: March 2027

TESTS

SPECIFICATIONS

RESULTS

Identity (Colormetric)	To Pass Test	Passes
Appearance	Off-white to light yellow powder	Passes
Loss on Drying	Less than 10.0 %	6.4%
Free Inorganic Sulphate	Less than 0.2 %	0.02%
Residue on Ignition	40.0 % to 50.0 %	43.4%
Total Sulphur Content	17.0 % to 20.0 %	19.8%
Glucose Content	35.0 % to 48.0 %	38.1%
Specific Viscosity (25°C in 1.0M NaCl)	0.10 to 0.70	0.29
pH of Aqueous Solution (1%)	5.0 to 7.5	6.6
Specific Rotation $[\alpha]_D^{20}$	+75° to 105°	+98°
Insoluble Iron	Less than 2.0 %	N.D.
Residual Pyridine	Less than 2.0 %	0.6%
Clarity (20% solution)	NMT 0.9 OD units at 360 nm NMT 10 specs in 100ml of 20% Soln.	0.1 3
Chloride	Less than 1000 ppm	409 ppm

Certified Correct By:

Sandra Corlija, June 20/24
Sandra Corlija, B.Sc.Chem. Eng.
Q.A. Department