

# DEXTRAN PRODUCTS

Part of the BIOSPECTRA™ Organization

## CERTIFICATE OF ANALYSIS

Product: Sodium Dextran Sulphate

Molecular Weight: 8,000

Lot No: DS8-053

Manufactured Date: March 2022

Expiry Date: March 2027

<u>TESTS</u>	<u>SPECIFICATIONS</u>	<u>RESULTS</u>
Identity (Colormetric)	To Pass Test	Passes
Appearance	Off-white to light yellow powder	Passes
Loss on Drying	NMT 10.0%	6.6%
Free Inorganic Sulphate	NMT 0.2%	N.D.
Residue on Ignition	35% - 50%	43%
Total Sulphur Content	17.0% - 20.0%	18.7%
Glucose Content	35% - 48%	36%
Specific Viscosity (In 1.0M NaCl at 25°C)	0.018 - 0.032	0.028
pH (1% solution)	5.0 to 7.5	7.0
Specific Rotation $[\alpha]_D^{20}$	+75° to +105°	+83°
Insoluble Iron	NMT 2.0 %	N.D.
Residue Pyridine	NMT 2.0 %	1.0%
Clarity (20% solution)	NMT 0.9 OD units at 360 nm NMT 10 specs in 100 mL of 20% Soln.	0.1 3
Chloride Content	NMT 1000 ppm	498 ppm

Prepared By:   M   Date: Mar. 19/2025 Job Title: QC Manager

Reviewed By:   Chad   Date: Mar 19/25 Job Title: QA supervisor